




REFERENCE GUIDE

2026

SINGLE-ZONE

HIGH WALLS													
Outdoor Model No.	Indoor Model No.	AHRI NO.	Nominal Capacity (Btu)	SEER2 / EER2	HSPF2 / COP @5°F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCP (A)	Line Set (Port) Size (inch)	Max line length (ft)	Max Lift/Drop OD to ID units (ft)	Remote Controller	WIFI
BRISA R32													
BRS09HPL1320A	BRS09HPL1321A	215420687	9K	20.5 / 11.9	8.8 / 1.9	0 - 118	-13 - 75	19 / 20	1/4 - 3/8	66	40	 Model number: YBE1FB1F Part number: 305001060236 INCLUDED	Built-In
BRS12HPL1320A	BRS12HPL1321A	215420691	12K	19.0 / 9.8	8.5 / 1.8	0 - 118	-13 - 75	19 / 20	1/4 - 3/8	66	40		Built-In
BRS09HPJ1320A	BRS09HPJ1321A	215420686	9K	20.5 / 12.5	8.8 / 1.9	0 - 118	-13 - 75	10 / 15	1/4 - 3/8	66	40		Built-In
BRS12HPJ1320A	BRS12HPJ1321A	215420690	12K	19.0 / 9.8	8.5 / 1.8	0 - 118	-13 - 75	12 / 15	1/4 - 3/8	66	40		Built-In
BRS18HPJ1320A	BRS18HPJ1321A	215420692	18K	20.0 / 12.4	8.5 / 1.8	0 - 118	-13 - 75	13 / 15	1/4 - 1/2	82	33		Built-In
BRS24HPJ1320A	BRS24HPJ1321A	215420689	24K	19.0 / 11.9	8.5 / 1.8	0 - 118	-13 - 75	15 / 20	1/4 - 1/2	131	82		Built-In
BRS30HPJ1320A	BRS30HPJ1321A	215420693	30K	22.0 / 10.9	9.0 / 1.8	-4 - 122	-13 - 75	27 / 30	1/4 - 5/8	131	82		Built-In
BRS36HPJ1320A	BRS36HPJ1321A	215420688	36K	21.0 / 10.6	8.5 / 1.8	-4 - 122	-13 - 75	24 / 35	1/4 - 5/8	131	82		Built-In
VENTO R32													
VEN09HPL1320A	VEN09HPL1321A	218385927	9K	18.5 / 11.9	8.6 / 1.8	0 - 118	-13 - 75	19 / 20	1/4 - 3/8	66	39	 Model number: YBE1FB1F Part number: 305001060236 INCLUDED	Built-In
VEN12HPL1320A	VEN12HPL1321A	218385924	12K	16.0 / 8.85	8.5 / 1.75	0 - 118	-13 - 75	19 / 20	1/4 - 3/8	66	39		Built-In
VEN09HPJ1320A	VEN09HPJ1321A	218385928	9K	18.8 / 12.3	8.6 / 1.85	0 - 118	-13 - 75	10 / 15	1/4 - 3/8	66	49		Built-In
VEN12HPJ1320A	VEN12HPJ1321A	218385925	12K	16.0 / 8.55	8.0 / 1.75	0 - 118	-13 - 75	12 / 15	1/4 - 3/8	66	39		Built-In
VEN18HPJ1320A	VEN18HPJ1321A	218394230	18K	18.0 / 10.2	8.2 / 1.75	0 - 118	-13 - 75	13 / 15	1/4 - 1/2	82	33		Built-In
VEN24HPJ1320A	VEN24HPJ1321A	218385926	24K	19.0 / 11.9	8.5 / 1.75	0 - 118	-13 - 75	15 / 20	1/4 - 1/2	131	82		Built-In
NOVO R32													
NOV09HPL1320A	NOV09HPL1321A	218385918	9K	26.0 / 15.0	10.4 / 1.96	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	66	40	 Model number: YBE1FBF Part number: 305001060204 INCLUDED	Built-In
NOV12HPL1320A	NOV12HPL1321A	218385921	12K	24.5 / 13.0	9.5 / 1.95	-20 - 122	-22 - 86	10 / 15	1/4 - 1/2	66	40		Built-In
NOV09HPJ1320A	NOV09HPJ1321A	218385919	9K	26.0 / 15.0	10.4 / 1.96	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	66	40		Built-In
NOV12HPJ1320A	NOV12HPJ1321A	218385920	12K	24.5 / 13.0	9.5 / 1.95	-20 - 122	-22 - 86	10 / 15	1/4 - 1/2	66	40		Built-In
NOV18HPJ1320A	NOV18HPJ1321A	218385923	18K	24.5 / 13.65	9.0 / 1.9	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	131	82		Built-In
NOV24HPJ1320A	NOV24HPJ1321A	218385922	24K	24.0 / 13.1	9.0 / 1.75	-20 - 122	-22 - 86	23 / 30	1/4 - 5/8	131	82		Built-In

ALL MATCH														
Indoor Model No.	Outdoor Model No.	AHRI NO.	Nominal Capacity (Btu)	SEER2 / EER2	HSPF2 / COP @5°F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCP (A)	IDU Line Set (Port) Size (inch)	ODU Line Set (Port) Size (inch)	Max line lenght (ft)	Max Lift / Drop OD to ID units (ft)	Remote Controller	Wired Controller
360° CASSETTE¹														
CAS09HPJ132IA	NOV09HPJ132OA	218445352	9K	24.0 / 15.0	9.2 / 1.94	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180 INCLUDED	 Model number: XE72 Part number: MC20701210 INCLUDED
CAS12HPJ132IA	NOV12HPJ132OA	218445358	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
CAS18HPJ132IA	NOV18HPJ132OA	218445366	18K	21.0 / 10.9	9.0 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
CAS24HPJ132IA	NOV24HPJ132OA	218445363	24K	22.5/ 11.6	9.0/ 1.80	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	1/4 - 5/8	131	82		
CAS30HPJ132IA	BRS30HPJ132OA	215560262	30K	22.0 / 10.9	9.0 / 1.8	-4 - 122	-13 - 75	25.6 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
CAS36HPJ132IA	BRS36HPJ132OA	215560258	36K	21.0 / 11.95	8.5 / 1.90	-4 - 122	-13 - 75	25.6 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
SLIM DUCT														
DUC09HPJ132IA	NOV09HPJ132OA	218445356	9K	22.0 / 14.2	9.2 / 2.15	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180 INCLUDED	 Model number: XE72 Part number: MC20701210 INCLUDED
DUC12HPJ132IA	NOV12HPJ132OA	218445357	12K	21.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
DUC18HPJ132IA	NOV18HPJ132OA	218445367	18K	22.5 / 14.0	9.0 / 1.90	-20 - 122	-22 - 86	16 / 20	1/4 - 5/8	1/4 - 1/2	131	82		
DUC24HPJ132IA	NOV24HPJ132OA	218445362	24K	19.5/ 12.3	9.0/ 1.80	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	1/4 - 5/8	131	82		
DUC30HPJ132IA	BRS30HPJ132OA	215560260	30K	18.5 / 11.2	8.5 / 1.80	-4 - 122	-13 - 75	25.6 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
DUC36HPJ132IA	BRS36HPJ132OA	215560257	36K	20.0 / 11.95	8.5 / 1.90	-4 - 122	-13 - 75	23 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
FLOOR CEILING														
FLR09HPJ132IA	NOV09HPJ132OA	218445354	9K	25.0 / 14.2	9.6 / 1.95	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180 INCLUDED	 Model number: XE72 Part number: MC20701210 INCLUDED
FLR12HPJ132IA	NOV12HPJ132OA	218445360	12K	23.0 / 13.0	9.5 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
FLR18HPJ132IA	NOV18HPJ132OA	218445368	18K	21.5 / 12.8	9.5 / 1.90	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
FLR24HPJ132IA	NOV24HPJ132OA	218445364	24K	22.5/ 12.6	9.5/ 1.80	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	1/4 - 5/8	131	82		
FLR30HPJ132IA	BRS30HPJ132OA	215560261	30K	21.0 / 11.45	8.0 / 1.80	-4 - 122	-13 - 75	25.6 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
FLR36HPJ132IA	BRS36HPJ132OA	215560259	36K	21.0 / 11.25	8.5 / 1.80	-4 - 122	-13 - 75	23 / 35	1/4 - 5/8	1/4 - 5/8	131	82		

ALL MATCH														
Indoor Model No.	Outdoor Model No.	AHRI NO.	Nominal Capacity (Btu)	SEER2 / EER2	HSPF2 / COP @5°F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCP (A)	IDU Line Set (Port) Size (inch)	ODU Line Set (Port) Size (inch)	Max line lenght (ft)	Max Lift / Drop OD to ID units (ft)	Remote Controller	Wired Controller
ONE WAY CASSETTE¹														
OWC09HPJ132IA	NOV09HPJ132OA	218445353	9K	22.0 / 13.1	9.5 / 1.97	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180 INCLUDED	 Model number: XE72 Part number: MC20701210 INCLUDED
OWC12HPJ132IA	NOV12HPJ132OA	218445359	12K	21.5 / 12.3	9.5 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
OWC18HPJ132IA	NOV18HPJ132OA	218445365	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
OWC20HPJ132IA	NOV18HPJ132OA	218445370	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
MINI CONSOLE														
CON09HPJ132IA	NOV09HPJ132OA	218445355	9K	23.0 / 15.0	9.5 / 1.75	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180 INCLUDED	 Model number: XE72 Part number: MC20701210 OPTIONAL
CON12HPJ132IA	NOV12HPJ132OA	218445361	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 x 3/8	1/4 - 3/8	66	40		
CON18HPJ132IA	NOV18HPJ132OA	218445369	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
FLOOR STANDING														
FSU36HPJ132IA	BRS36HPJ132OA	215560256	36K	20.0 / 12.0	8.5 / 2.0	-4 - 122	-13 - 75	23 / 35	1/4 - 5/8	1/4 - 5/8	131	82	 Model number: YB1FA Part number: 30510516 INCLUDED	N/A

Note:

- Cassette Grille is required.
 - GREETF05 used with CAS09HPJ132IA to CAS18HPJ132IA
 - GREETF06 used with CAS24HPJ132IA to CAS36HPJ132IA
 - GREETD01 used with OWC09HPJ132IA to OWC20HPJ132IA
- Line set is sized by indoor unit port size.
- R32 products are not backward compatible with R410A products.

MULTI-ZONE

OUTDOOR UNITS														
Outdoor Model No.	Nominal Capacity (Btu)	Zones	AHRI NO.	Indoor Unit Type	SEER2 / EER2	HSPF2 / COP @5 °F	Cooling Range (°F)	Heating Range (°F)	Pre-Charge Length	Max Pipe length	Max length to indoor unit	Max Lift/Drop OD to ID units	MCA / MCOP	Min AWG
MULTI ZONE+ R32														
MUL18HPJ132OA	18K	2	215424768	Non-Ducted	21 / 12	10 / 2.0	-22 - 118	-22 - 75	33'	131'	66'	49'	18.5 / 20	14
			215424773	Ducted	18 / 11.7	8.1 / 1.86								
			215424778	Mixed Non-Ducted and Ducted	19 / 11.8	9 / 1.86								
MUL24HPJ132OA	24K	2 - 3	215424769	Non-Ducted	21 / 13.3	10 / 2.0	-22 - 118	-22 - 75	98'	197'	66'	49'	19.5 / 25	12
			215424774	Ducted	18 / 12	8.1 / 1.86								
			215424779	Mixed Non-Ducted and Ducted	19 / 12.2	9 / 1.8								
MUL30HPJ132OA	30K	2 - 4	215424770	Non-Ducted	21 / 13.6	10 / 2.07	-22 - 118	-22 - 75	131'	263'	82'	82'	23 / 35	10
			215424775	Ducted	18 / 12	8.1 / 1.88								
			215424780	Mixed Non-Ducted and Ducted	19 / 12.2	9 / 1.81								
MUL36HPJ132OA	36K	2 - 4	215424771	Non-Ducted	21 / 12	10 / 2.1	-22 - 118	-22 - 75	131'	263'	82'	82'	29 / 35	10
			215424776	Ducted	18 / 11.7	8.1 / 1.90								
			215424781	Mixed Non-Ducted and Ducted	19 / 11.8	9 / 1.84								
MUL42HPJ132OA	42K	2 - 5	215424772	Non-Ducted	21 / 13	10 / 2.1	-22 - 118	-22 - 75	164'	328'	82'	82'	29 / 35	10
			215424777	Ducted	18 / 12	8.1 / 1.90								
			215424782	Mixed Non-Ducted and Ducted	19 / 12.2	9 / 1.84								
MULTI ZONE R32														
EMUL18HPJ132OA	18K	2	218394247	Non-Ducted	17 / 11.3	8.5 / 2.0	5 - 118	5 - 75	66'	131'	66'	49'	14.5 / 20	14
			218394252	Ducted	17 - 10	7.5 / 1.8								
			218394257	Mixed Non-Ducted and Ducted	17 / 10.5	17 / 11.3								
EMUL24HPJ132OA	24K	2 - 3	218394248	Non-Ducted	17 / 11.6	8.5 / 2.0	5 - 118	5 - 75	98'	197'	66'	49'	18 / 25	12
			218394253	Ducted	17 / 11.0	7.5 / 1.8								
			218394258	Mixed Non-Ducted and Ducted	17 / 11.3	8.0 / 1.9								
EMUL30HPJ132OA	30K	2 - 4	218394249	Non-Ducted	17 / 11.1	8.5 / 1.9	5 - 118	5 - 75	98'	197'	66'	49'	22 / 25	10
			218394254	Ducted	17 / 10.5	7.5 / 1.7								
			218394260	Mixed Non-Ducted and Ducted	17 / 10.8	8.0 / 1.8								
EMUL36HPJ132OA	36K	2 - 4	218394250	Non-Ducted	17 / 11.6	8.5 / 1.8	5 - 118	5 - 75	131'	263'	82'	82'	26.5 / 30	10
			218394256	Ducted	17 / 11.0	7.2 / 1.6								
			218394261	Mixed Non-Ducted and Ducted	17 / 11.3	7.8 / 1.7								
EMUL42HPJ132OA	42K	2 - 5	218394251	Non-Ducted	17 / 11.0	8.5 / 1.8	5 - 118	5 - 75	164'	328'	82'	82'	27 / 30	10
			218394255	Ducted	17 / 10.2	7.5 / 1.6								
			218394259	Mixed Non-Ducted and Ducted	17 / 10.6	8.0 / 1.7								



INDOOR UNITS												
Indoor Model No.	Nominal Capacity (Btu)	Line Set (Port) Size	Indoor Model No.	Nominal Capacity (Btu)	Line Set (Port) Size	Indoor Model No.	Nominal Capacity (Btu)	Line Set (Port) Size	Indoor Model No.	Nominal Capacity (Btu)	Line Set (Port) Size	E.S.P
BRISA R32			360° CASSETTE¹			FLOOR/CEILING			SLIM DUCT			
BRS09HPL132IA	5K	1/4 x 3/8	CAS09HPJ132IA	9K	1/4 x 3/8	FLR09HPJ132IA	9K	1/4 - 3/8	DUC09HPJ132IA	9K	1/4 x 3/8	0 - .6
BRS09HPJ132IA	9K	1/4 x 3/8	CAS12HPJ132IA	12K	1/4 x 3/8	FLR12HPJ132IA	12K	1/4 - 3/8	DUC12HPJ132IA	12K	1/4 x 3/8	0 - .6
BRS12HPJ132IA	12K	1/4 x 3/8	CAS18HPJ132IA	18K	1/4 x 1/2	FLR18HPJ132IA	18K	1/4 x 1/2	DUC18HPJ132IA	18K	1/4 x 5/8	0 - .8
BRS18HPJ132IA	18K	1/4 x 1/2	CAS24HPJ132IA	24K	1/4 x 5/8	FLR24HPJ132IA	24K	1/4 - 5/8	DUC24HPJ132IA	24K	1/4 x 5/8	0 - .8
BRS24HPJ132IA	24K	1/4 x 1/2	¹GREETF05		9K, 12K & 18K	MINI CONSOLE			AIR HANDLER			
NOVO R32			¹GREETF06		24K	CON09HPJ132IA	9K	1/4 x 3/8	VAH12HPJ132IA	12K	1/4 x 3/8	0 - 1
NOV09HPJ132IA	9K	1/4 x 3/8	ONE WAY CASSETTE²			CON12HPJ132IA	12K	1/4 x 3/8	VAH18HPJ132IA	18K	1/4 x 5/8	0 - 1
NOV12HPJ132IA	12K	1/4 x 1/2	OWC09HPJ132IA	9K	1/4 x 3/8	CON18HPJ132IA	18K	1/4 x 1/2	VAH24HPJ132IA	24K	1/4 x 5/8	0 - 1
NOV18HPJ132IA	18K	1/4 x 1/2	OWC12HPJ132IA	12K	1/4 x 3/8							
NOV24HPJ132IA	24K	1/4 x 5/8	OWC18HPJ132IA	18K	1/4 x 1/2							
VENTO R32			OWC20HPJ132IA	20K	1/4 x 1/2							
VEN09HPJ132IA	9K	1/4 x 3/8	²GREETD01		9K, 12K, 18K & 20K							
VEN12HPJ132IA	12K	1/4 x 3/8										
VENTO R32 is only compatible with MUL18HPJ132OA & MUL19HPJ132OA, and EMUL18HPJ132OA.			1,2. Decorative Cassette Grill is Required									

1,2. Decorative Cassette Grill is Required

RATED COMBINATIONS

MODEL NUMBER	TWO UNITS	THREE UNITS	FOUR UNITS	FIVE UNITS
MUL18HPJ132OA	9+9			
EMUL18HPJ132OA	9+12			
	12+12			
	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:		
MUL24HPJ132OA	9+18	9+9+12		
EMUL24HPJ132OA	12+18	9+9+18		
	18+18	9+12+12		
		12+12+12		
	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:		
MUL30HPJ132OA	9+24	9+9+24	9+9+9+9	
EMUL30HPJ132OA	12+24	9+12+18	9+9+9+12	
	18+24	12+12+18	9+9+9+18	
			9+9+12+12	
	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:	
MUL36HPJ132OA EMUL36HPJ132OA	9+24	9+9+24	9+9+9+24	
	12+24	9+12+24	9+9+12+18	
	18+24	9+18+18	9+9+12+24	
	24+24	9+18+24	9+9+18+18	
		12+12+24	9+12+12+12	
		12+18+18	9+12+12+18	
		12+18+24	12+12+12+12	
		18+18+18	12+12+12+18	
		ABOVE SIZES PLUS:	ABOVE SIZES PLUS:	
MUL42HPJ132OA EMUL42HPJ132OA	ABOVE SIZES PLUS:	9+24+24	9+9+18+24	9+9+9+9+9
		12+24+24	9+12+12+24	9+9+9+9+12
		18+18+24	9+12+18+18	9+9+9+9+18
			9+12+18+24	9+9+9+9+24
			9+18+18+18	9+9+9+12+12
			12+12+12+24	9+9+9+12+18
			12+12+18+18	9+9+9+12+24
				9+9+9+18+18
				9+9+12+12+12
				9+9+12+12+18
				9+12+12+12+12
				9+12+12+12+18
				12+12+12+12+12

CENTRAL AIR

OUTDOOR UNITS												
Outdoor Model No.	Indoor Model No.	Nominal Capacity (Btu)	AHRI NO.	SEER2 / EER2	HSPF2 / COP @5 °F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCp (A) OUTDOOR	Line Set (Port) Size (inch)	Max line length (ft)	Max Lift/ Drop OD to ID units (ft)	Wired Controller
		AIRMAXX+ R32										
ARX18HPJ1R320A	ARX12HPJ1R321A	12K	218385930	18.0 / 12.5	9.0 / 2.0	5 - 129	-22 - 75	19 / 20	1/4 - 1/2	66	33	 Model number: WK-010WC1 Part number: NC20700410 INCLUDED
	ARX18HPJ1R321A	18K	218385929	18.5 / 12.5	9.0 / 2.0	5 - 129	-22 - 75	19/ 20	1/4 - 1/2	66	33	
ARX36HPJ1R320A	ARX24HPJ1R321A	24K	218385931	18.0 / 12.5	10.0 / 2.0	5 - 129	-22 - 75	21/ 25	3/8 - 3/4	164	49	
	ARX36HPJ1R321A	36K	218385932	18.0 / 12.0	10.0 / 2.0	5 - 129	-22 - 75	27.7/ 30	3/8 - 3/4	164	49	
ARX60HPJ1R320A	ARX48HPJ1R321A	48K	218385933	19.0 / 12.0	10.0 / 2.0	5 - 129	-22 - 75	39.9 / 45	3/8 - 3/4	98	49	
	ARX60HPJ1R321A	60K	218385934	18.5 / 11.7	10.5 / 2.10	5 - 129	-22 - 75	39.9 / 45	3/8 - 3/4	98	49	
OUTDOOR UNITS												
Outdoor Model No.	Indoor Model No.	Nominal Capacity (Btu)	AHRI NO.	SEER2 / EER2	HSPF2 / COP @5 °F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCp (A) OUTDOOR	Line Set (Port) Size (inch)	Max line length (ft)	Max Lift/ Drop OD to ID units (ft)	Wired Controller
		AIRMAXX R32										
ARXE30HPJ1R320A	ARX24HPJ1R321A	24K	218385936	18.5 / 11.7	8.3 / 1.75	5 - 118	5 - 75	27.7/ 30	3/8 - 3/4	98	49	 Model number: WK-010WC1 Part number: NC20700410 INCLUDED
	ARX30HPJ1R321A	30K	218385935	18.0 / 11.7	8.3 / 2.14	5 - 118	5 - 75	27.7/ 30	3/8 - 3/4	98	49	
ARXE36HPJ1R320A	ARX36HPJ1R321A	36K	218385937	19.0 / 11.7	8.3 / 2.0	5 - 118	5 - 75	27.7/ 30	3/8 - 3/4	98	49	
ARXE60HPJ1R320A	ARX48HPJ1R321A	48K	218385938	20.0 / 11.7	9.5 / 2.18	5 - 118	5 - 75	39.9 / 45	3/8 - 3/4	98	49	
	ARX60HPJ1R321A	60K	218385939	19.0 / 11.7	9.5 / 2.24	5 - 118	5 - 75	39.9 / 45	3/8 - 3/4	98	49	

GLOSSARY

AWG: Main Power Wire Size

MCA: Min Circuit Amps

MOCP: Max Over Current Protection (Amps)

E.S.P.: External Static Pressure

NOTES

ELECTRICAL & COMMUNICATION

- System must be on a single dedicated circuit
- Main power is supplied to the outdoor unit
- Follow all local building codes and NEC regulations
- Interconnecting Cable recommendation: 14/4 AWG stranded copper conductors, THHN 600V unshielded wire
- Use shielded cable if installation is in close proximity to RF and EMI transmitting devices

SYSTEM EFFICIENCY RATINGS

- Check AHRI Documents for SEER2 / EER2 / HSPF2 Ratings

LINE SETS

- Minimum length to indoor unit: 10
- Line Sets are sized to indoor unit port sizes
- See submittal for line set adapters included with outdoor unit, additional field supplied adapters may be required

WIRED & REMOTE CONTROLLERS

- Wireless Remote Controller included with all models
- Wired Controller optional on BRISA R32, VENTO R32 and NOVO R32
- Built-in WiFi for BRISA R32, VENTO R32 and NOVO R32
- XE72 WiFi wired controller is included with Slim Duct, Floor/Ceiling, 360° Cassette and One Way Cassette

INSTALL

- Wind baffle not required for outdoor units